

- Doors meet AWS Section 9 Premium quality standards
- 20, 45, 60, 90 minute stile & rail fire ratings
- Panels are double refined MDF
- Stiles and rails are double refined MDF; stiles have hardwood edge
- Available as single prehung units or doubles sent knockdown
- Hinge options: square corner or radius ball bearing hinges; satin nickel, oil rubbed bronze, polished chrome, polished brass, brushed nickel, and others
- FSC certified by request, FSC-SCS-COC-002211
- No added urea-formaldehyde, available by request
- Minimum 86% post-industrial recycled material
- Limited 5-year warranty

### FACTORY FINISH

- Doors are available with AWS System 8 water based paint
- Can match paint to any major paint manufacturer color swatch as well as custom color match by submitting physical sample (minimum 3" x 5")
- All Supa Collection factory-finished doors have sealed top and bottom rails

### STICKING & PANEL OPTIONS


- Louver designs are available in E, S, and Tivoli sticking options, please visit [www.vtindustries.com/architectural-doors/supa-collection/](http://www.vtindustries.com/architectural-doors/supa-collection/) for a complete list
- Raised and flat panel
- Optional raised moulding
- Panels can be replaced with glass

### DIMENSIONS<sup>^</sup>

Door Height	Door Width	Door Thickness	Stile & Rail Width	Bottom Rail Width
up to 9'-0"	up to 4'-2"	1-3/8", 1-3/4", or 2-1/4"	6"	10"

<sup>^</sup> Custom sizes and options available, longer lead times may apply

Jambs available in 4-9/16" through 6-9/16" in finger joint pine and solid poplar; wider and narrower options and rabbetted available



- Doors meet AWS Section 9 Premium quality standards
- 20, 45, 60, 90 minute stile & rail fire ratings
- Panels are double refined MDF
- Stiles and rails are double refined MDF; stiles have hardwood edge
- Available as single prehung units or doubles sent knockdown
- Hinge options: square corner or radius ball bearing hinges; satin nickel, oil rubbed bronze, polished chrome, polished brass, brushed nickel, and others
- FSC certified by request, FSC-SCS-COC-002211
- No added urea-formaldehyde, available by request
- Minimum 86% post-industrial recycled material
- Limited 5-year warranty

### FACTORY FINISH

- Doors are available with AWS System 8 water based paint
- Can match paint to any major paint manufacturer color swatch as well as custom color match by submitting physical sample (minimum 3" x 5")
- All Supa Collection factory-finished doors have sealed top and bottom rails

### STICKING & PANEL OPTIONS


- Louver designs are available in E, S, and Tivoli sticking options, please visit [www.vtindustries.com/architectural-doors/supa-collection/](http://www.vtindustries.com/architectural-doors/supa-collection/) for a complete list
- Raised and flat panel
- Optional raised moulding
- Panels can be replaced with glass

### DIMENSIONS<sup>^</sup>

Door Height	Door Width	Door Thickness	Stile & Rail Width	Bottom Rail Width
up to 9'-0"	up to 4'-2"	1-3/8", 1-3/4", or 2-1/4"	6"	10"

<sup>^</sup> Custom sizes and options available, longer lead times may apply

Jamb available in 4-9/16" through 6-9/16" in finger joint pine and solid poplar; wider and narrower options and rabbeted available



- Doors meet AWS Section 9 Premium quality standards
- 20, 45, 60, 90 minute stile & rail fire ratings
- Panels are double refined MDF
- Stiles and rails are double refined MDF; stiles have hardwood edge
- Available as single prehung units or doubles sent knockdown
- Hinge options: square corner or radius ball bearing hinges; satin nickel, oil rubbed bronze, polished chrome, polished brass, brushed nickel, and others
- FSC certified by request, FSC-SCS-COC-002211
- No added urea-formaldehyde, available by request
- Minimum 86% post-industrial recycled material
- Limited 5-year warranty

### FACTORY FINISH

- Doors are available with AWS System 8 water based paint
- Can match paint to any major paint manufacturer color swatch as well as custom color match by submitting physical sample (minimum 3" x 5")
- All Supa Collection factory-finished doors have sealed top and bottom rails

### STICKING & PANEL OPTIONS


- Louver designs are available in E, S, and Tivoli sticking options, please visit [www.vtindustries.com/architectural-doors/supa-collection/](http://www.vtindustries.com/architectural-doors/supa-collection/) for a complete list
- Raised and flat panel
- Optional raised moulding
- Panels can be replaced with glass

### DIMENSIONS<sup>^</sup>

Door Height	Door Width	Door Thickness	Stile & Rail Width	Bottom Rail Width
up to 9'-0"	up to 4'-2"	1-3/8", 1-3/4", or 2-1/4"	6"	10"

<sup>^</sup> Custom sizes and options available, longer lead times may apply

Jambs available in 4-9/16" through 6-9/16" in finger joint pine and solid poplar; wider and narrower options and rabbetted available



- Doors meet AWS Section 9 Premium quality standards
- 20, 45, 60, 90 minute stile & rail fire ratings
- Panels are double refined MDF
- Stiles and rails are double refined MDF; stiles have hardwood edge
- Available as single prehung units or doubles sent knockdown
- Hinge options: square corner or radius ball bearing hinges; satin nickel, oil rubbed bronze, polished chrome, polished brass, brushed nickel, and others
- FSC certified by request, FSC-SCS-COC-002211
- No added urea-formaldehyde, available by request
- Minimum 86% post-industrial recycled material
- Limited 5-year warranty

### FACTORY FINISH

- Doors are available with AWS System 8 water based paint
- Can match paint to any major paint manufacturer color swatch as well as custom color match by submitting physical sample (minimum 3" x 5")
- All Supa Collection factory-finished doors have sealed top and bottom rails

### STICKING & PANEL OPTIONS


- Louver designs are available in E, S, and Tivoli sticking options, please visit [www.vtindustries.com/architectural-doors/supa-collection/](http://www.vtindustries.com/architectural-doors/supa-collection/) for a complete list
- Raised and flat panel
- Optional raised moulding
- Panels can be replaced with glass

### DIMENSIONS<sup>^</sup>

Door Height	Door Width	Door Thickness	Stile & Rail Width	Bottom Rail Width
up to 9'-0"	up to 4'-2"	1-3/8", 1-3/4", or 2-1/4"	6"	10"

<sup>^</sup> Custom sizes and options available, longer lead times may apply

Jambs available in 4-9/16" through 6-9/16" in finger joint pine and solid poplar; wider and narrower options and rabbetted available



- Doors meet AWS Section 9 Premium quality standards
- 20, 45, 60, 90 minute stile & rail fire ratings
- Panels are double refined MDF
- Stiles and rails are double refined MDF; stiles have hardwood edge
- Available as single prehung units or doubles sent knockdown
- Hinge options: square corner or radius ball bearing hinges; satin nickel, oil rubbed bronze, polished chrome, polished brass, brushed nickel, and others
- FSC certified by request, FSC-SCS-COC-002211
- No added urea-formaldehyde, available by request
- Minimum 86% post-industrial recycled material
- Limited 5-year warranty

### FACTORY FINISH

- Doors are available with AWS System 8 water based paint
- Can match paint to any major paint manufacturer color swatch as well as custom color match by submitting physical sample (minimum 3" x 5")
- All Supa Collection factory-finished doors have sealed top and bottom rails

### STICKING & PANEL OPTIONS


- Louver designs are available in E, S, and Tivoli sticking options, please visit [www.vtindustries.com/architectural-doors/supa-collection/](http://www.vtindustries.com/architectural-doors/supa-collection/) for a complete list
- Raised and flat panel
- Optional raised moulding
- Panels can be replaced with glass

### DIMENSIONS<sup>^</sup>

Door Height	Door Width	Door Thickness	Stile & Rail Width	Bottom Rail Width
up to 9'-0"	up to 4'-2"	1-3/8", 1-3/4", or 2-1/4"	6"	10"

<sup>^</sup> Custom sizes and options available, longer lead times may apply

Jambs available in 4-9/16" through 6-9/16" in finger joint pine and solid poplar; wider and narrower options and rabbetted available



- Doors meet AWS Section 9 Premium quality standards
- 20, 45, 60, 90 minute stile & rail fire ratings
- Panels are double refined MDF
- Stiles and rails are double refined MDF; stiles have hardwood edge
- Available as single prehung units or doubles sent knockdown
- Hinge options: square corner or radius ball bearing hinges; satin nickel, oil rubbed bronze, polished chrome, polished brass, brushed nickel, and others
- FSC certified by request, FSC-SCS-COC-002211
- No added urea-formaldehyde, available by request
- Minimum 86% post-industrial recycled material
- Limited 5-year warranty

### FACTORY FINISH

- Doors are available with AWS System 8 water based paint
- Can match paint to any major paint manufacturer color swatch as well as custom color match by submitting physical sample (minimum 3" x 5")
- All Supa Collection factory-finished doors have sealed top and bottom rails

### STICKING & PANEL OPTIONS

- Louver designs are available in E, S, and Tivoli sticking options, please visit [www.vtindustries.com/architectural-doors/supa-collection/](http://www.vtindustries.com/architectural-doors/supa-collection/) for a complete list
- Raised and flat panel
- Optional raised moulding
- Panels can be replaced with glass

### DIMENSIONS<sup>^</sup>

Door Height	Door Width	Door Thickness	Stile & Rail Width	Bottom Rail Width
up to 9'-0"	up to 4'-2"	1-3/8", 1-3/4", or 2-1/4"	6"	10"

<sup>^</sup> Custom sizes and options available, longer lead times may apply

Jambs available in 4-9/16" through 6-9/16" in finger joint pine and solid poplar; wider and narrower options and rabbetted available