

Material Identification

LivingStone™ is a registered trademark of Surface Warehouse, LP

Company Identification

Manufacturer/Distributor Surface Warehouse,

4601 Spicewood Springs Road, Building I Suite 100

Austin, TX 78759

Phones For Product Information 1-866-433-2229

For Chemical Emergencies (spill, leak, fire, exposure or accident) contact

Chemtrec — 24 hours I-800-424-9300 (North America)

I-703-527-3887 (International*)

* collect calls accepted

Composition/Information on Ingredients

Components	Ingredient/Sequence No.	CAS No.	% by Weight
	Acrylic Polymer/I	9011-14-7	33-42
	Alumina Trihydrate/2	21645-51-2	57-42
	Colorants/3	NA	1-5
Remarks on Components	The material is not known to contain toxic chemicals under Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR part 372.		

Hazards Identification

Potential Health Effects

LivingStone™ solid surface products are not hazardous as shipped in their solid states. However, dust generated from cutting, routing, sawing, drilling, sanding or other forms of fabrication may cause irritation to skin, eyes and respiratory systems. Surface Warehouse recommends using exposure limits for polymethyl methacrylate, because there are no established exposure limits for solid surface dust.



Hazards Identification, cont'd

Potential Health Effects, cont'd LivingStone™ solid surface products do not gas off at room

temperature.

However, at higher temperatures, small amounts of methyl methacrylate and butyl acrylate can be released, depending on the temperature, duration of exposure to heat and other variables.

Methyl methacrylate and butyl acrylate vapors can irritate skin, eyes and respiratory systems, and can cause allergic reaction.

Dust or small particles generated during fabrication may irritate skin, eyes and respiratory systems. Long-term exposure may cause headaches.

Carcinogenicity Information None of the components in LivingStone™ solid surface products

at concentrations equal to or greater than 0.1% are listed by the

IARC, NTP, OSHA or ACGIH as a carcinogen.

First Aid Measures

Eyes In case of contact, flush eyes immediately with plenty of water

for minimum of 15 minutes. Seek medical attention.

Skin The compound is not likely to be hazardous by skin contact.

However, thorough washing of the contacted area with running water and non-abrasive soap is recommended. Seek medical

attention if irritation persists.

Inhalation Remove to fresh air if necessary. The compound is not likely to

be hazardous by inhalation. However, repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.

Seek medical attention if breathing becomes difficult.

Ingestion No specific intervention is indicated, as the compound is not

likely to be hazardous by ingestion. Also, ingestion is not an

expected route of entry into the body.



Fire Fighting Measures

Flammable Properties LivingStone™ solid surface products can be combusted only with

difficulty.

Hazardous gases/vapors produced in a fire are carbon monoxide,

methyl methacrylate, butyl acrylate and aldehydes.

Extinguishing Media Water, dry chemical, CO², foam

Fire Fighting Instructions Keep personnel removed and upwind from fire. Wear self-

contained breathing apparatus.

Accidental Release Measures

Safeguards (Personnel) Review Fire Fighting Measures and Handling and Storage sections

for safety protocols. Use appropriate personal protective

equipment during cleanup.

Spill Cleanup Recover undamaged and minimally contaminated material for

reuse and reclamation.

Handling and Storage

Handling (Personnel) Avoid breathing dust.

Avoid breathing fumes/vapors generated when LivingStone™ solid

surface products are being thermoformed.

Very small amounts of methyl methacrylate or butyl acrylate can be generated during the machining of LivingStone $^{\text{TM}}$ solid surface

products, such as sawing, routing, drilling or sanding, due to heat

created by friction.

Storage LivingStone™ solid surface products should be stored indoors,

away from direct sunlight and extreme temperature.



Exposure Controls / Personal Protection

Exposure Contols Use an adequate ventilation system to keep airborne contaminants

below recommended limits. Appropriate dust collection systems

for machinery are recommended.

Personal Protective Equipment Eye/Face Protection: Wear safety glasses during operations such

as sawing, routing, drilling or sanding.

Respirators: In normal and intended conditions, a respirator is not needed. However, during operations such as sawing, routing, drilling or sanding, if airborne particulate concentrations are expected to exceed permissible exposure limits, use a half-face, NIOSH-approved, air-purifying respirator with type N100 filter. Respirators should be selected based on form and concentration of the airborne contaminant and in accordance with OSHA

Respiratory Protection Standard CFR 1910.134.

Protective Clothing Wear leather or cotton gloves when handling large pieces and

during operations such as sawing, routing or drilling. Safety shoes

and ear protection are also recommended.

Exposure Limits

Particulates PEL (OSHA) — Particulates not otherwise regulated:

15 mg/m³, 8 hour TWA, total dust 5 mg/m³, 8 hour TWA, respirable dust

TLV (ACGIH) — Particulates (insoluble) not otherwise classified:

 10 mg/m^3 , 8 hour TWA, inhalable particulate 3 mg/m^3 , 8 hour TWA, respirable particulate

Methyl Methacrylate PEL (OSHA)

100 ppm, 410 mg/m³, 8 hour TWA

TLV (ACGIH)

50 ppm, 8 hour TWA, STEL 100 ppm, A4 Sensitizer

Butyl Acrylate PEL (OSHA) — No limit established

TLV (ACGIH)

2 ppm, 8 hour TWA, A4 Sensitizer



Physical and Chemical Properties

Appearance Solid

Form Sheets, shaped and molded articles

Odor Odorless

Oxidation None

Percent of Volatiles 0% at room temperature

Solubility in Water Insoluble

Specific Gravity 1.69 -1.74

pH/Boiling Point/

Molecular Weight Not applicable

Melting Point/Vapor Density/

Vapor Pressure Not available

Stability and Reactivity

Chemical Stability Stable in normal temperature and storage conditions

Unstable conditions Extreme heat

Incompatibility with Other Materials Strong acids, oxidizing accelerants

Thermal Decomposition Can release methyl methacrylate and butyl acrylate

Hazardous Decomposition Not available

Hazardous Reactions None

Hazardous Polymerization Will not occur



Toxicological Information

Toxicity to Humans Product is not toxic to blood, kidneys, lungs, nervous system,

liver, mucous membranes and reproductive system

Ecological Information

Ecotoxicity Not available

BODS and COD Not available

Biodegradable OECD Not available

Disposal Considerations

Waste Disposal Preferred options, in order of preference, are (1) recycling, (2)

incineration with energy recovery and (3) landfill.

Treatment, storage, transportation and disposal must be in accordance with applicable federal, state and local regulations.

Transportation Information

DOT Classification Not regulated



Regulatory Information

US Federal Regulations

TSCA Inventory Status: All components of this product are listed in compliance with TSCA inventory requirement for commercial purposes.

Clean Water Act (CWA) 307: No products were found.

Clean Water Act (CWA) 311: No products were found.

Clean Air Act (CAA) 112 Accident Release Prevention: No products were found.

Clean Air Act (CAA) 112 Regulated Flammable Substances: No products were found.

Clean Air Act (CAA) 112 Regulated Toxic Substances: No products were found.

SARA 302/304/311/312 Extremely Hazardous Substances: No products were found.

SARA 302/304 Emergency Planning and Notification: No products were found.

SARA 311/312 MSDS Distribution - Chemical Inventory - Hazard Identification: No products were found.

SARA 313 Toxic Chemical Notification and Release Reporting: No products were found.

State of Pennsylvania Hazardous Substances List Present at a Concentration of 1% or More (0.1% for Special Hazardous Substances): Not known.

State of California Warning on Known Substances to Cause Cancer, Birth Defects or Other Reproductive Harm: Not known.

State of California Proposition 65: No products were found.

State of New Jersey Workplace Hazardous Substance List Present at a Concentration of 1% or More (0.1% for Substances Identified as Carcinogens, Mutagens or Teratogens): Not known.

State Regulations



Additional Information

Medical Use Do not use in medical applications involving permanent

implantation in the human body.

Use of Data

The data in this document relates only to the specific material

designated herein and does not relate to use in combination with

any other material or in any process.

Responsibility for Data US Surface Warehouse

4601 Spicewood Springs Road, Building I Suite 100

Austin, TX 78759

1-866-433-2229

Disclaimer The information contained in this document is provided by

Surface Warehouse, LP, free of charge. It is based on technical

data which Surface Warehouse, LP, believes to be reliable.

The information in this document is intended for persons having knowledge of this technical area, for use at their own discretion and risk. Seller assumes no responsibility for results obtained or damage incurred from the use of information in this document, either in whole or in part by a purchaser of LivingStone $^{\text{TM}}$ solid

surface products.

LivingStone™ is a registered trademark of Surface Warehouse, LP,

for its solid surface products.

Copyright © 2014, Surface Warehouse, LP.