Product Offerings - Quick Guide

Reference Product List for specific configuration detail (i.e. Single Swing, Pairs, Acoustic Gasket & Vision Systems)

Fire Rating (minute)	STC - Operable Ratings															
	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
NR															RigiCore Magnum (2 1/4")	
NR												RigiCore Magnum (1 3/4")				
20										RigiCore EX						
20								RigiCore GP								
20						KB-41										
20				KB-40												
20	KB-35															

CREATIVE COMPOSITES

25 April 2014 - Revision D

Product List - Acoustic - Single Swing

ACOUSTIC PRODUCT RATINGS

Single Swing		Ratings			Acoustic Gasket System				Vision System			Documentation		
Product Type	Door Thickness	Product Code	Fire Listing	STC	Perimeter	Door Bottom	Automatic Door Bottom	Threshold	Lite Kit	Glazing Size	Glazing Product	Test Reference	Gasket System Number	Vision System Number
RigiCore Magnum	2-1/4"	124000	-	49	Pemko S773 / S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	-	-	-	C9577.01 I	103	-
RigiCore Magnum	1-3/4"	122000	-	47	Pemko S773 / S773 / S44	-	-	Pemko 2008STCxQ380	-	-	-	C1899.01 I2	102	-
		122000	-	46	Pemko S773 / S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	-	-	-	C1899.01 I1	103	-
		122000	-	46	Pemko S773 / S773 / S44	-	-	Pemko 2008STCxQ380	MVP: Pemko LT-B1	Up to 100 in^2	5/16" Ceramic Lam.	C1899.01 I2 / C1899.01 I5	102	300
		122000	-	45	Pemko S773 / S773 / S44	-	-	Pemko 2008STCxQ380	MVP: Pemko LT-B4	Up to 100 in^2	1" IGU	C1899.01 I3	102	300
		122000	-	45	Pemko S773 / S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	MVP: Pemko LT-B1	Up to 100 in^2	5/16" Ceramic Lam.	C1899.01 I1 / C1899.01 I5	103	300
RigiCore EX	1-3/4"	112000 / 113000	20 min	46	Pemko S773 / S44	Pemko 3692APK773 / ACP 112	-	-	-	-	-	C3867.03A-113-17	101	-
		112000 / 113000	20 min	46	Pemko S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	-	-	-	C3867.03A-113-17	100	-
		112000 / 113000	20 min	46	Pemko S773 / S773 / S44	-	-	Pemko 2008STCxQ380	-	-	-	C3867.02 B	102	-
		112000 / 113000	20 min	46	Zero 119 / 475	-	Zero 369	-	-	-	-	94453.01 D6	94453.01 D6	-
		112000 / 113000	20 min	46	Zero 119 / 475	-	-	Zero 564A	-	-	-	94453.01 D3	94453.01 D3	-
		112000 / 113000	20 min	46	Zero 119 / 475	-	Zero 367	Zero 564A	-	-	-	94453.01 D2	94453.01 D2	-
		112000 / 113000	20 min	45	Pemko S773 / S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	-	-	-	C3867.02 A	103	-
		112000 / 113000	20 min	45	Pemko S773 / S773 / S44	-	Pemko STC434PKL / ACP 112	Pemko 151	-	-	-	A9041.01 B	A9041.01 B	-
		112000 / 113000	20 min	45	Zero 119 / 475	-	Zero 367	Zero 564A	-	-	-	94453.01 D1	94453.01 D1	-
		112000 / 113000	20 min	45	Pemko S88 / Zero 119	-	Zero 369	-	-	-	-	94453.01 D10	94453.01 D10	-
		112000 / 113000	20 min	45	Pemko S773 / S44	Pemko 3692APK773 / ACP 112	-	-	MVP: Pemko LT-B1	Up to 100 in^2	5/16" Ceramic Lam.	C3867.03B-113-17	101	300
		112000 / 113000	20 min	45	Pemko S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	MVP: Pemko LT-B1	Up to 100 in^2	5/16" Ceramic Lam.	C3867.03B-113-17	100	300
		112000	-	45	Pemko S773 / S44	Pemko 3692APK773 / ACP 112	-	-	MVP: Pemko LT-B2	Up to 216 in^2	5/8" Laminated (.060 PVB)	C3867.03B-113-17	101	300
		112000	-	45	Pemko S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	MVP: Pemko LT-B2	Up to 216 in^2	5/8" Laminated (.060 PVB)	C3867.03B-113-17	100	300
		112000 / 113000	20 min	45	Pemko S773 / S44	Pemko 3692APK773 / ACP 112	-	-	MVP: Pemko LT-B3	Up to 216 in^2	7/8" Pyrostop	C3867.03B-113-17	101	300
		112000 / 113000	20 min	45	Pemko S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	MVP: Pemko LT-B3	Up to 216 in^2	7/8" Pyrostop	C3867.03B-113-17	100	300
		112XXX / 113XXX	20 min	45	Pemko S773 / S773 / S44	-	-	Pemko 2008STCxQ380	MVP: Pemko LT-B1	Up to 100 in^2	5/16" Ceramic Lam.	C3867.02 E	102	300
		112XXX / 113XXX	20 min	44	Pemko S773 / S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	MVP: Pemko LT-B1	Up to 100 in^2	5/16" Ceramic Lam.	C3867.02 D	103	300
		112XXX / 113XXX	20 min	44	Pemko S773 / S773 / S44	-	-	Pemko 2008STCxQ380	MVP:Pemko LT-B4	Up to 100 in^2	1" IGU	C3867.02 C	102	300
		112000	-	44	Pemko S773 / S44	Pemko 3692APK773 / ACP 112	-	-	MVP: Pemko LT-B2	Up to 484 in^2	5/8" Laminated (.060 PVB)	C3867.03C-113-17	101	300
		112000	-	44	Pemko S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	MVP: Pemko LT-B2	Up to 484 in^2	5/8" Laminated (.060 PVB)	C3867.03C-113-17	100	300
		112000 / 113000	20 min	44	Pemko S773 / S44	Pemko 3692APK773 / ACP 112	-	-	MVP: Pemko LT-B3	Up to 484 in^2	7/8" Pyrostop	C3867.03C-113-17	101	300
		112000 / 113000	20 min	44	Pemko S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	MVP: Pemko LT-B3	Up to 484 in^2	7/8" Pyrostop	C3867.03C-113-17	100	300
		112000	-	43	Pemko S773 / S44	Pemko 3692APK773 / ACP 112	-	-	MVP: Pemko LT-B2	Up to 864 in^2	5/8" Laminated (.060 PVB)	C3867.03D-113-17	101	300
		112000	-	43	Pemko S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	MVP: Pemko LT-B2	Up to 864 in^2	5/8" Laminated (.060 PVB)	C3867.03D-113-17	100	300
		112000 / 113000	20 min	43	Pemko S773 / S44	Pemko 3692APK773 / ACP 112	-	-	MVP: Pemko LT-B3	Up to 864 in^2	7/8" Pyrostop	C3867.03D-113-17	101	300
		112000 / 113000	20 min	43	Pemko S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	MVP: Pemko LT-B3	Up to 864 in^2	7/8" Pyrostop	C3867.03D-113-17	100	300
RigiCore GP	1-3/4"	110000 / 111000	20 min	43	Pemko S773 / S44	Pemko 3692APK773 / ACP 112	-	-	-	-	-	C3867.03I-113-17	101	-
		110000 / 111000	20 min	43	Pemko S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	-	-	-	C3867.03I-113-17	100	-
		110000 / 111000	20 min	43	Pemko S773 / S44	Pemko 3692APK773 / ACP 112	-	-	MVP: Pemko LT-B3	Up to 216 in^2	7/8" Pyrostop	C3867.03I-113-17	101	300
		110000 / 111000	20 min	43	Pemko S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	MVP: Pemko LT-B3	Up to 216 in^2	7/8" Pyrostop	C3867.03I-113-17	100	300
		110000 / 111000	20 min	43	Pemko S773 / S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	-	-	-	C3867.02 G	103	-
		110000 / 111000	20 min	43	Pemko S773 / S773 / S44	-	-	Pemko 2008STCxQ380	-	-	-	C3867.02 F	102	-
		110000 / 111000	20 min	42	Pemko S44x2 / S44	-	-	Pemko 2008STCxQ380	-	-	-	C1899.01 B1	102	-
		110000 / 111000	20 min	42	Pemko S88 / S88	Zero 119W	-	Zero 564A	-	-	-	94453.01 C4	94453.01 C4	-
		110000 / 111000	20 min	42	Pemko S773 / S44	Pemko 3692APK773 / ACP 112	-	-	MVP: Pemko LT-B1	Up to 100 in^2	5/16" Ceramic Lam.	C3867.03J-113-17	101	300
		110000 / 111000	20 min	42	Pemko S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	MVP: Pemko LT-B1	Up to 100 in^2	5/16" Ceramic Lam.	C3867.03J-113-17	100	300
		110XXX	-	42	Pemko S773 / S44	Pemko 3692APK773 / ACP 112	-	-	MVP: Pemko LT-B2	Up to 484 in^2	1/2" Laminated (.060 PVB)	C3867.03J-113-17	101	300
		110XXX	-	42	Pemko S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	MVP: Pemko LT-B2	Up to 484 in^2	1/2" Laminated (.060 PVB)	C3867.03J-113-17	100	300
		110000 / 111000	20 min	42	Pemko S773 / S44	Pemko 3692APK773 / ACP 112	-	-	MVP: Pemko LT-B3	Up to 484 in^2	7/8" Pyrostop	C3867.03J-113-17	101	300
		110000 / 111000	20 min	42	Pemko S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	MVP: Pemko LT-B3	Up to 484 in^2	7/8" Pyrostop	C3867.03J-113-17	100	300
		110000 / 111000	20 min	42	Pemko S773 / S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	MVP: Pemko LT-B1	Up to 100 in^2	5/16" Ceramic Lam.	C3867.02 I	103	300
		110000 / 111000	20 min	42	Pemko S773 / S773 / S44	-	-	Pemko 2008STCxQ380	MVP: Pemko LT-B1	Up to 100 in^2	5/16" Ceramic Lam.	C3867.01 H	102	300
		110XXX	-	41	Pemko S773 / S44	Pemko 3692APK773 / ACP 112	-	-	MVP: Pemko LT-B2	Up to 864 in^2	5/8" Laminated (.060 PVB)	C3867.03K-113-17	101	300
		110XXX	-	41	Pemko S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	MVP: Pemko LT-B2	Up to 864 in^2	5/8" Laminated (.060 PVB)	C3867.03K-113-17	100	300
		110000 / 111000	20 min	41	Pemko S773 / S44	Pemko 3692APK773 / ACP 112	-	-	MVP: Pemko LT-B3	Up to 864 in^2	7/8" Pyrostop	C3867.03K-113-17	101	300
		110000 / 111000	20 min	41	Pemko S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	MVP: Pemko LT-B3	Up to 864 in^2	7/8" Pyrostop	C3867.03K-113-17	100	300
		110000 / 111000	20 min	41	Pemko S44x2 / S44	-	-	Pemko 2008STCxQ380	MVP: Pemko LT-B1	Up to 100 in^2	5/16" Ceramic Lam.	C1899.01 B1 / C1899.01 B2	102	300
		110000 / 111000	20 min	41	Pemko S88 / S88	Zero 119W	-	-	-	-	-	94453.01 C5	94453.01 C5	-
		110000 / 111000	20 min	41	Pemko S88 / S773	Zero 119W	-	-	-	-	-	94453.01 C2	94453.01 C2	-
KB-41	1-3/4"	128000 / 129000	20 min	41	Pemko S773 / S44	Pemko 3692APK773 / ACP 112	-	-	-	-	-	C3867.03L-113-17	101	-
		128000 / 129000	20 min	41	Pemko S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	-	-	-	C3867.03L-113-17	100	-
		128000 / 129000	20 min	41	Pemko S773 / S44	Pemko 3692APK773 / ACP 112	-	-	MVP: Pemko LT-B3	Up to 216 in^2	7/8" Pyrostop	C3867.03L-113-17	101	300
		128000 / 129000	20 min	41	Pemko S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	MVP: Pemko LT-B3	Up to 216 in^2	7/8" Pyrostop	C3867.03L-113-17	100	300
		128000 / 129000	20 min	40	Pemko S773 / S44	Pemko 3692APK773 / ACP 112	-	-	MVP: Pemko LT-B1	Up to 100 in^2	5/16" Ceramic Lam.	C3867.03M-113-17	101	300
		128000 / 129000	20 min	40	Pemko S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	MVP: Pemko LT-B1	Up to 100 in^2	5/16" Ceramic Lam.	C3867.03M-113-17	100	300
		128000	-	40	Pemko S773 / S44	Pemko 3692APK773 / ACP 112	-	-	MVP: Pemko LT-B2	Up to 484 in^2	1/2" Laminated (.060 PVB)	C3867.03M-113-17	101	300
		128000	-	40	Pemko S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	MVP: Pemko LT-B2	Up to 484 in^2	1/2" Laminated (.060 PVB)	C3867.03M-113-17	100	300
		128000 / 129000	20 min	40	Pemko S773 / S44	Pemko 3692APK773 / ACP 112	-	-	MVP: Pemko LT-B3	Up to 484 in^2	7/8" Pyrostop	C3867.03M-113-17	101	300
		128000 / 129000	20 min	40	Pemko S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	MVP: Pemko LT-B3	Up to 484 in^2	7/8" Pyrostop	C3867.03M-113-17	100	300
		128000	-	39	Pemko S773 / S44	Pemko 3692APK773 / ACP 112	-	-	MVP: Pemko LT-B2	Up to 864 in^2	5/8" Laminated (.060 PVB)	C3867.03N-113-17	101	300
		128000	-	39	Pemko S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	MVP: Pemko LT-B2	Up to 864 in^2	5/8" Laminated (.060 PVB)	C3867.03N-113-17	100	300
		128000 / 129000	20 min	39	Pemko S773 / S44	Pemko 3692APK773 / ACP 112	-	-	MVP: Pemko LT-B3	Up to 864 in^2	7/8" Pyrostop	C3867.03N-113-17	101	300
		128000 / 129000	20 min	39	Pemko S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	MVP: Pemko LT-B3	Up to 864 in^2	7/8" Pyrostop	C3867.03N-113-17	100	300
KB-40	1-3/4"	118000 / 119000	20 min	40	Pemko S773 / S44	Pemko 3692APK773 / ACP 112	-	-	-	-	-	C3867.03O-113-17	101	-
		118000 / 119000	20 min	40	Pemko S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	-	-	-	C3867.03O-113-17	100	-
		118000 / 119000	20 min	40	Pemko S773 / S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	-	-	-	C4626.01 D / B3279.01 D5	103	-
		118000 / 119000	20 min	40	Pemko S773 / S773 / S44	-	-	Pemko 2008STCxQ380	-	-	-	C4626.01 D / C1899.01 I2	102	-
		118000	-	40	Pemko S773 / S44	Pemko 3692APK773 / ACP 112	-	-	MVP: Pemko LT-B2	Up to 864 in^2	1/2" Laminated (.060 PVB)	C3867.03O-113-17	101	300
		118000	-	40	Pemko S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	MVP: Pemko LT-B2	Up to 864 in^2	1/2" Laminated (.060 PVB)	C3867.03O-113-17	100	300
		118000 / 119000	20 min	40	Pemko S773 / S44	Pemko 3692APK773 / ACP 112	-	-	MVP: Pemko LT-B3	Up to 864 in^2	7/8" Pyrostop	C3867.03O-113-17	101	300
		118000 / 119000	20 min	40	Pemko S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	MVP: Pemko LT-B3	Up to 864 in^2	7/8" Pyrostop	C3867.03O-113-17	100	300
		118000 / 119000	20 min	39	Pemko S44x2 / S44	-	-	Pemko 2008STCxQ380	-	-	-	C4626.01 D / C1899.01 B1	102	-
		118000 / 119000	20 min	39	Pemko S88 / S88	Zero 119W	-	-	-	-	-	C4626.01 D / 94453.01 C5	C4626.01 D / 94453.01 C5	-
		118000 / 119000	20 min	39	Pemko S773 / S44	Pemko 3692APK773 / ACP 112	-	-	MVP: Pemko LT-B1	Up to 484 in^2	5/16" Ceramic Lam.	C3867.03P-113-17	101	300
		118000 / 119000	20 min	39	Pemko S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	MVP: Pemko LT-B1	Up to 484 in^2	5/16" Ceramic Lam.	C3867.03P-113-17	100	300
		118000 / 119000	20 min	39	Pemko S773 / S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	MVP: Pemko LT-B1	Up to 100 in^2	5/16" Ceramic Lam.	C4626.01 D / B3729.01 D5 / C1899.01 I5	103	300
		118000 / 119000	20 min	39	Pemko S773 / S773 / S44	-	-	Pemko 2008STCxQ380	MVP: Pemko LT-B1	Up to 100 in^2	5/16" Ceramic Lam.	C4626.01 D / C1899.01 I2 / C1899.01 I5	102	300
		118000 / 119000	20 min	38	Pemko S88 / S88	Zero 119W	-	-	MVP: Pemko LT-B1	Up to 100 in^2	5/16" Ceramic Lam.	C4626.01 D / 94453.01 C5 / C1899.01 I5	C4626.01 D / 94453.01 C5 / C1899.01 I5	300
		118000 / 119000	20 min	38	Pemko S44x2 / S44	-	-	Pemko 2008STCxQ380	MVP: Pemko LT-B1	Up to 100 in^2	5/16" Ceramic Lam.	C4626.01 D / C1899.01 B1 / C1899.01 I5	102	300
KB-35	1-3/4"	114000 / 115000	20 min	36	Pemko S773 / S44	Pemko 3692APK773 / ACP 112	-	-	MVP: Pemko LT-B1	Up to 484 in^2	5/16" Ceramic Lam.	C3867.03Q-113-17	101	300
		114000 / 115000	20 min	36	Pemko S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	MVP: Pemko LT-B1	Up to 484 in^2	5/16" Ceramic Lam.	C3867.03Q-113-17	100	300
		114000 / 115000	20 min	35	Pemko S773 / S44	Pemko 3692APK773 / ACP 112	-	-	-	-	-	C3867.03R-113-17	101	-
		114000 / 115000	20 min	35	Pemko S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	-	-	-	C3867.03R-113-17	100	-
		114000	-	35	Pemko S773 / S44	Pemko 3692APK773 / ACP 112	-	-	MVP: Pemko LT-B1	Up to 1296 in^2	1/4" Laminated (.030 PVB)	C3867.03R-113-17	101	300
		114000	-	35	Pemko S773 / S44	-	Pemko PDB 411 AE / ACP 112	-	MVP: Pemko LT-B1	Up to 1296 in^2	1/4" Laminated (.030 PVB)	C3867.03R-113-17	100	300
		114000 / 115000	20 min	35	Pemko S773 / S773 / S44	Pemko S773 / S773	-	Pemko 151	-	-	-	A9042.01 A	A9042.01 A	-
		114000 / 115000	20 min	34	Pemko S773 / S773 / S44	Pemko S773 / S773	-	Pemko 151	MVP: Pemko LT-B1	Up to 100 in^2	5/16" Ceramic Lam.	A9042.01 A / C1899.01 I5	A9042.01 A / C1899.01 I5	300

Product List - Acoustic - Pairs

ACOUSTIC PRODUCT RATINGS

Pairs - Active /Inactive		Ratings			Acoustic Gasket System					Vision System			Documentation		
Product Type	Door Thickness	Product Code	Fire Listing	STC	Perimeter	Active Door, Door Bottom	Inactive Door, Door Bottom	Meeting Stile	Flush Bolt	Lite Kit	Glazing Size	Glazing Product	Test Reference	Gasket System Number	Vision System Number
RigiCore EX	1-3/4"	112000	-	44	Pemko S773 / S44	Pemko PDB 411 AE / ACP 112, Pemko S773, 1/2" x 1/2" Polypile pad (Qty 1)	Pemko PDB 411 AE / ACP 112, Pemko S773, 1/2" x 1/2" Polypile pad (Qty 1)	Pemko S773, Pemko 303 AS	Top Only	-	-	-	C3867.03S-113-17	200	-
		112000	-	44	Pemko S773 / S44	Pemko PDB 411 AE / ACP 112, 1/2" x 1/2" Polypile pad (Qty 2)	Pemko PDB 411 AE / ACP 112, Pemko S773, 1/2" x 1/2" Polypile pad (Qty 2)	Pemko S773, Pemko 303 AS	Top, Bottom	-	-	-	C3867.03S-113-17	201	-
		112000	-	44	Pemko S773 / S44	Pemko PDB 411 AE / ACP 112, Pemko S773, 1/2" x 1/2" Polypile pad (Qty 1)	Pemko PDB 411 AE / ACP 112, Pemko S773, 1/2" x 1/2" Polypile pad (Qty 1)	Pemko S773, Pemko 303 AS	Top Only	MVP: Pemko LT-B2	Up to 216 in^2	11/16" Laminated (.060 PVB)	C3867.03S-113-17	200	300
		112000	-	44	Pemko S773 / S44	Pemko PDB 411 AE / ACP 112, 1/2" x 1/2" Polypile pad (Qty 2)	Pemko PDB 411 AE / ACP 112, Pemko S773, 1/2" x 1/2" Polypile pad (Qty 2)	Pemko S773, Pemko 303 AS	Top, Bottom	MVP: Pemko LT-B2	Up to 216 in^2	11/16" Laminated (.060 PVB)	C3867.03S-113-17	201	300
		112000	-	44	Pemko S773 / S44	Pemko PDB 411 AE / ACP 112, Pemko S773, 1/2" x 1/2" Polypile pad (Qty 1)	Pemko PDB 411 AE / ACP 112, Pemko S773, 1/2" x 1/2" Polypile pad (Qty 1)	Pemko S773, Pemko 303 AS	Top Only	MVP: Pemko LT-B3	Up to 216 in^2	7/8" Pyrostop	C3867.03S-113-17	200	300
		112000	-	44	Pemko S773 / S44	Pemko PDB 411 AE / ACP 112, 1/2" x 1/2" Polypile pad (Qty 2)	Pemko PDB 411 AE / ACP 112, Pemko S773, 1/2" x 1/2" Polypile pad (Qty 2)	Pemko S773, Pemko 303 AS	Top, Bottom	MVP: Pemko LT-B3	Up to 216 in^2	7/8" Pyrostop	C3867.03S-113-17	201	300
RigiCore GP	1-3/4"	110000 / 111000	20 min	43	Pemko S773 / S44	Pemko PDB 411 AE / ACP 112, Pemko S773, 1/2" x 1/2" Polypile pad (Qty 1)	Pemko PDB 411 AE / ACP 112, Pemko S773, 1/2" x 1/2" Polypile pad (Qty 1)	Pemko S773, Pemko 303 AS	Top Only	-	-	-	C3867.03T-113-17	200	-
		110000 / 111000	20 min	43	Pemko S773 / S44	Pemko PDB 411 AE / ACP 112, 1/2" x 1/2" Polypile pad (Qty 2)	Pemko PDB 411 AE / ACP 112, Pemko S773, 1/2" x 1/2" Polypile pad (Qty 2)	Pemko S773, Pemko 303 AS	Top, Bottom	-	-	-	C3867.03T-113-17	201	-
		110000 / 111000	20 min	43	Pemko S773 / S44	Pemko PDB 411 AE / ACP 112, Pemko S773, 1/2" x 1/2" Polypile pad (Qty 1)	Pemko PDB 411 AE / ACP 112, Pemko S773, 1/2" x 1/2" Polypile pad (Qty 1)	Pemko S773, Pemko 303 AS	Top Only	MVP: Pemko LT-B2	Up to 216 in^2	11/16" Laminated (.060 PVB)	C3867.03T-113-17	200	300
		110000 / 111000	20 min	43	Pemko S773 / S44	Pemko PDB 411 AE / ACP 112, 1/2" x 1/2" Polypile pad (Qty 2)	Pemko PDB 411 AE / ACP 112, Pemko S773, 1/2" x 1/2" Polypile pad (Qty 2)	Pemko S773, Pemko 303 AS	Top, Bottom	MVP: Pemko LT-B2	Up to 216 in^2	11/16" Laminated (.060 PVB)	C3867.03T-113-17	201	300
		110000 / 111000	20 min	43	Pemko S773 / S44	Pemko PDB 411 AE / ACP 112, Pemko S773, 1/2" x 1/2" Polypile pad (Qty 1)	Pemko PDB 411 AE / ACP 112, Pemko S773, 1/2" x 1/2" Polypile pad (Qty 1)	Pemko S773, Pemko 303 AS	Top Only	MVP: Pemko LT-B3	Up to 216 in^2	7/8" Pyrostop	C3867.03T-113-17	200	300
		110000 / 111000	20 min	43	Pemko S773 / S44	Pemko PDB 411 AE / ACP 112, 1/2" x 1/2" Polypile pad (Qty 2)	Pemko PDB 411 AE / ACP 112, Pemko S773, 1/2" x 1/2" Polypile pad (Qty 2)	Pemko S773, Pemko 303 AS	Top, Bottom	MVP: Pemko LT-B3	Up to 216 in^2	7/8" Pyrostop	C3867.03T-113-17	201	300
KB-40	1-3/4"	118000 / 119000	20 min	39	Pemko S773 / S44	Pemko PDB 411 AE / ACP 112, Pemko S773, 1/2" x 1/2" Polypile pad (Qty 1)	Pemko PDB 411 AE / ACP 112, Pemko S773, 1/2" x 1/2" Polypile pad (Qty 1)	Pemko S773, Pemko 303 AS	Top Only	-	-	-	C3867.03U-113-17	200	-
		118000 / 119000	20 min	39	Pemko S773 / S44	Pemko PDB 411 AE / ACP 112, 1/2" x 1/2" Polypile pad (Qty 2)	Pemko PDB 411 AE / ACP 112, Pemko S773, 1/2" x 1/2" Polypile pad (Qty 2)	Pemko S773, Pemko 303 AS	Top, Bottom	-	-	-	C3867.03U-113-17	201	-
		118000 / 119000	20 min	39	Pemko S773 / S44	Pemko PDB 411 AE / ACP 112, Pemko S773, 1/2" x 1/2" Polypile pad (Qty 1)	Pemko PDB 411 AE / ACP 112, Pemko S773, 1/2" x 1/2" Polypile pad (Qty 1)	Pemko S773, Pemko 303 AS	Top Only	MVP: Pemko LT-B2	Up to 216 in^2	11/16" Laminated (.060 PVB)	C3867.03U-113-17	200	300
		118000 / 119000	20 min	39	Pemko S773 / S44	Pemko PDB 411 AE / ACP 112, 1/2" x 1/2" Polypile pad (Qty 2)	Pemko PDB 411 AE / ACP 112, Pemko S773, 1/2" x 1/2" Polypile pad (Qty 2)	Pemko S773, Pemko 303 AS	Top, Bottom	MVP: Pemko LT-B2	Up to 216 in^2	11/16" Laminated (.060 PVB)	C3867.03U-113-17	201	300
		118000 / 119000	20 min	39	Pemko S773 / S44	Pemko PDB 411 AE / ACP 112, Pemko S773, 1/2" x 1/2" Polypile pad (Qty 1)	Pemko PDB 411 AE / ACP 112, Pemko S773, 1/2" x 1/2" Polypile pad (Qty 1)	Pemko S773, Pemko 303 AS	Top Only	MVP: Pemko LT-B3	Up to 216 in^2	7/8" Pyrostop	C3867.03U-113-17	200	300
		118000 / 119000	20 min	39	Pemko S773 / S44	Pemko PDB 411 AE / ACP 112, 1/2" x 1/2" Polypile pad (Qty 2)	Pemko PDB 411 AE / ACP 112, Pemko S773, 1/2" x 1/2" Polypile pad (Qty 2)	Pemko S773, Pemko 303 AS	Top, Bottom	MVP: Pemko LT-B3	Up to 216 in^2	7/8" Pyrostop	C3867.03U-113-17	201	300

Product List - Fire - Single Swing

FIRE LISTED PRODUCTS - SINGLE SWING	Single Swing	Listing			Hardware Listed							Vision System			Documentation
	Product Family	Product Code	Detail	Max. Size	Hinges	Locksets	Exit Devices	Closers	Door Bottoms	Viewer	Electric Raceway	Lite Kit	Glazing Size	Glazing Product	Test Reference
	RigiCore EX	112000 113000	Category B 20 min PP w/Hose	4/0 x 8/0	Per NFPA 80	Cylindrical, Cylindrical Deadbolt, Mortise, Cardreader	Surface-Mounted Vertical Rod, Rim-Type	Surface-Mounted, Mortised	Surface-Mounted, Mortised	1 allowed, 1/2" Max. Dia.	1 allowed	Metal Frame	up to 1320 in2	Listed & Labeled 5/16" min. thickness	See ITS Spec-Direct RigiCore EX
	RigiCore GP	110000 111000	Category B 20 min PP w/Hose	4/0 x 8/0	Per NFPA 80	Cylindrical, Cylindrical Deadbolt, Mortise, Cardreader	Surface-Mounted Vertical Rod, Rim-Type	Surface-Mounted, Mortised	Surface-Mounted, Mortised	1 allowed, 1/2" Max. Dia.	1 allowed	Metal Frame	up to 1320 in2	Listed & Labeled 5/16" min. thickness	See ITS Spec-Direct RigiCore GP
	KB-41	128000 129000	Category B 20 min PP w/Hose	4/0 x 8/0	Per NFPA 80	Cylindrical, Cylindrical Deadbolt, Mortise, Cardreader	Surface-Mounted Vertical Rod, Rim-Type	Surface-Mounted, Mortised	Surface-Mounted, Mortised	1 allowed, 1/2" Max. Dia.	1 allowed	Metal Frame	up to 1320 in2	Listed & Labeled 5/16" min. thickness	See ITS Spec-Direct KB-41
	KB-40	118000 119000	Category B 20 min PP w/Hose	4/0 x 8/0	Per NFPA 80	Cylindrical, Cylindrical Deadbolt, Mortise, Cardreader	Surface-Mounted Vertical Rod, Rim-Type	Surface-Mounted, Mortised	Surface-Mounted, Mortised	1 allowed, 1/2" Max. Dia.	1 allowed	Metal Frame	up to 1320 in2	Listed & Labeled 5/16" min. thickness	See ITS Spec-Direct KB-40
	KB-35	114000 115000	Category B 20 min PP w/Hose	4/0 x 8/0	Per NFPA 80	Cylindrical, Cylindrical Deadbolt, Mortise, Cardreader	Surface-Mounted Vertical Rod, Rim-Type	Surface-Mounted, Mortised	Surface-Mounted, Mortised	1 allowed, 1/2" Max. Dia.	1 allowed	Metal Frame	up to 1320 in2	Listed & Labeled 5/16" min. thickness	See ITS Spec-Direct KB-35

Product List - Fire - Pairs

FIRE LISTED PRODUCTS - PAIRS	Pairs	Listing			Hardware Listed							Vision System			Documentation
	Product Family	Product Code	Detail	Max. Size	Hinges	Locksets	Exit Devices	Closers	Door Bottoms	Viewer	Electric Raceway	Lite Kit	Glazing Size	Glazing Product	Test Reference
	RigiCore GP	110000 111000	Category B 20 min PP w/Hose	6/0 x 7/0	Per NFPA 80	Cylindrical, Cylindrical Deadbolt, Mortise, Cardreader	Surface-Mounted Vertical Rod, Rim-Type	Surface-Mounted, Mortised	Surface-Mounted, Mortised	1 allowed, 1/2" Max. Dia.	1 allowed	Metal Frame	up to 1320 in2	Listed & Labeled 5/16" min. thickness	See ITS Spec-Direct RigiCore GP
	KB-40	118000 119000	Category B 20 min PP w/Hose	6/0 x 7/0	Per NFPA 80	Cylindrical, Cylindrical Deadbolt, Mortise, Cardreader	Surface-Mounted Vertical Rod, Rim-Type	Surface-Mounted, Mortised	Surface-Mounted, Mortised	1 allowed, 1/2" Max. Dia.	1 allowed	Metal Frame	up to 1320 in2	Listed & Labeled 5/16" min. thickness	See ITS Spec-Direct KB-40