



MI
INDUSTRIES
Inspiring SURFACES



HERITAGE & PALLADIUM COLLECTION

SPECIFICATION CHECKLIST

INDUSTRY STANDARD

- AWS EDITION 2
- WDMA I.S 1A INDUSTRY STANDARD FOR ARCHITECTURAL WOOD FLUSH DOORS

DOOR CONSTRUCTION

AESTHETIC GRADE

- PREMIUM
- CUSTOM

WOOD FACE REQUIREMENTS

VENEER GRADE

- A
- AA

CHOOSE A FACE VENEER

- SPECIES
- CUT
 - PLAIN SLICED/ FLAT CUT
 - QUARTER CUT
 - RIFT CUT (OAK ONLY)
 - ROTARY CUT (NOT AVAILABLE IN SOME SPECIES)

VENEER PIECE MATCH**

- BOOK (INDUSTRY STANDARD)
- SLIP
- RANDOM

VENEER FACE MATCH

- RUNNING (INDUSTRY STANDARD)
- BALANCE
- CENTER

**APPEARANCE OF PAIRS,
SETS, & TRANSOMS**

- MATCHED
- NOT MATCHED

PERFORMANCE DUTY LEVEL

- EXTRA HEAVY DUTY
- HEAVY DUTY

CORE TYPE

- PARTICLEBOARD (PC)
- STRUCTURAL COMPOSITE LUMBER (SCLC)
- FIRE RESISTANT COMPOSITE (FD)
- AGRIFIBER

**HARDWARE REINFORCEMENT
BLOCKING**

- PC DOORS
- FD DOORS
- AGRIFIBER DOORS

CORE/EDGE INTERFACE

- BONDED

VINYL EDGE REQUIREMENT

- REMOVABLE
- FIXED

FIRE DOOR TEST METHOD

- NEGATIVE PRESSURE: UL 10B, IBC
- POSITIVE PRESSURE: UL 10C, IBC
 - CATEGORY A
 - CATEGORY B

FIRE DOOR CONSTRUCTION

- NO METAL MEETING EDGES
- METAL EDGES
- CONCEALED VERTICAL RODS

HPDL FACE REQUIREMENTS

- MANUFACTURER
- THICKNESS
- PATTERN/COLOR/FINISH

MACHINING REQUIREMENTS

- FACTORY MACHINED FOR HARDWARE
- FACTORY DRILLED PILOT HOLES FOR HINGES

FINISH REQUIREMENTS

FINISH SYSTEM

- UV-CURED FACTORY FINISHING BY MANUFACTURER
- OP-4 (WDMA) / OP-5 (AWS)
- OTHER FINISH APPLICATIONS

LEED REQUIREMENTS

- RECYCLED CONTENT
- RAPIDLY RENEWABLE MATERIALS
- CERTIFIED WOOD
- LOW-EMITTING

SPECIFY LITE DOOR OPTIONS

- INSTALLATION
 - WOOD BEADS
 - METAL VISION PANELS
 - VENEER METAL VISION PANELS
- SPECIAL PERFORMANCE
 - FIRE RATING
 - X-RAY SHIELDING
 - ACOUSTICAL
 - BULLET-RESISTANT
- SPECIAL GLAZING
 - THICKNESS
 - PATTERN / TEXTURE
 - SHAPE
 - PERFORMANCE
 - OPAQUE

SPECIAL FUNCTION DOORS

- SOUND RESISTANT (STC)
- LEAD LINED (X-RAY)
- BULLET-RESISTANT
- IMPACT RESISTANT

VINYL FACE REQUIREMENTS

- INPRO RIGID VINYL PATTERN/COLOR

* Based on chosen industry standard.** Slip is recommended for Rift Oak and all other quartered species.

VT INDUSTRIES RESERVES THE RIGHT TO CHANGE DESIGN AND/OR DETAILS OF ITS PRODUCTS WITHOUT NOTICE.



EGGERS STILE & RAIL COLLECTION

SPECIFICATION CHECKLIST

INDUSTRY STANDARD

- AWS EDITION 2
- WDMA 1.S 6A-11: INDUSTRY STANDARD FOR ARCHITECTURAL STILE & RAIL DOORS

DOOR CONSTRUCTION

AESTHETIC GRADE

- PREMIUM
- CUSTOM

WOOD FACE REQUIREMENTS

VENEER GRADE

- A
- AA

CHOOSE A FACE VENEER

- SPECIES
- CUT
 - PLAIN SLICED/ FLAT CUT
 - QUARTER CUT
 - RIFT CUT (OAK ONLY)
 - ROTARY CUT (NOT AVAILABLE IN SOME SPECIES)

VENEER PIECE MATCH**

- BOOK (INDUSTRY STANDARD)
- SLIP
- RANDOM

VENEER FACE MATCH

- RUNNING (INDUSTRY STANDARD)
- BALANCE
- CENTER

APPEARANCE OF PAIRS, SETS, & TRANSOMS

- MATCHED
- NOT MATCHED

DOOR TYPE

- PANEL
- GLASS
- LOUVER
- COMBINATION

PANEL TYPE

- RAISED
 - MEMBRANE PRESSED
 - RIM BANDED
 - SPECIAL
- FLAT
- NONE

STICKING TYPE

- QUARTER ROUND
- OVOLO
- OGEE
- SQUARE
- SPECIAL
- NONE

FIRE DOOR TEST METHOD

- NEGATIVE PRESSURE: UL 10B, IBC
- POSITIVE PRESSURE: UL 10C, IBC
 - CATEGORY A
 - CATEGORY B

FIRE DOOR CONSTRUCTION

- NO METAL MEETING EDGES
- METAL EDGES
- CONCEALED VERTICAL RODS

SPECIAL FUNCTION DOORS

- SOUND RESISTANT (STC)
- LEAD LINED (X-RAY)
- BULLET-RESISTANT
- IMPACT RESISTANT

MACHINING REQUIREMENTS

- FACTORY MACHINED FOR HARDWARE
- FACTORY DRILLED PILOT HOLES FOR HINGES

FINISH REQUIREMENTS

FINISH SYSTEM

- UV-CURED FACTORY FINISHING BY MANUFACTURER
- OP-4 (WDMA) / OP-5 (AWS)
- OTHER FINISH APPLICATIONS

LEED REQUIREMENTS

- RECYCLED CONTENT
- RAPIDLY RENEWABLE MATERIALS
- CERTIFIED WOOD
- LOW-EMITTING

SPECIFY LITE DOOR OPTIONS

- INSTALLATION
 - WOOD BEADS
 - METAL VISION PANELS
 - VENEER METAL VISION PANELS
- SPECIAL PERFORMANCE
 - FIRE RATING
 - X-RAY SHIELDING
 - ACOUSTICAL
 - BULLET-RESISTANT
- SPECIAL GLAZING
 - THICKNESS
 - PATTERN / TEXTURE
 - SHAPE
 - PERFORMANCE
 - OPAQUE

* Based on chosen industry standard.** Slip is recommended for Rift Oak and all other quartered species.

VT INDUSTRIES RESERVES THE RIGHT TO CHANGE DESIGN AND/OR DETAILS OF ITS PRODUCTS WITHOUT NOTICE.

