




## SPECIFICATION SHEET



### SPECIFICATIONS:

- Standard substrate is 34" industrial-grade particleboard, available in 8', 10', and 12' lengths
- Standard postformed-grade laminate with a thickness of 0.042'' + 0.002'' 0.008''
- Both standard and special styles and sizes are suitable for all residential, commercial, institutional, or light-industrial applications
- Available as an environmentally friendly EQcountertops



888.287.8356 info@vtindustries.com vtindustries.com All measurements in inches. Drawings not to scale.




© 2024 VT Industries, Inc. All rights reserved. 11108 11-2024





## SPECIFICATION SHEET



### SPECIFICATIONS:

- Standard substrate is 34" industrial-grade particleboard, available in 8', 10', and 12' lengths
- Standard postformed-grade laminate with a thickness of 0.042'' + 0.002'' 0.008''
- Both standard and special styles and sizes are suitable for all residential, commercial, institutional, or light-industrial applications
- Available as an environmentally friendly EQcountertops



888.287.8356 info@vtindustries.com vtindustries.com All measurements in inches. Drawings not to scale.




© 2024 VT Industries, Inc. All rights reserved. 11110 11-2024





## SPECIFICATION SHEET



### SPECIFICATIONS:

- Standard substrate is 34" industrial-grade particleboard, available in 8', 10', and 12' lengths
- Standard postformed-grade laminate with a thickness of 0.042" + 0.002" 0.008"
- Both standard and special styles and sizes are suitable for all residential, commercial, institutional, or light-industrial applications
- Available as an environmentally friendly EQcountertops



888.287.8356 info@vtindustries.com vtindustries.com All measurements in inches. Drawings not to scale.




© 2024 VT Industries, Inc. All rights reserved. 11114 11-2024





## SPECIFICATION SHEET



### SPECIFICATIONS:

- Standard substrate is  $\frac{34''}{4}$  industrial-grade particleboard, available in 8', 10', and 12' lengths
- Standard postformed-grade laminate with a thickness of 0.042'' + 0.002'' 0.008''
- Both standard and special styles and sizes are suitable for all residential, commercial, institutional, or light-industrial applications
- Available as an environmentally friendly EQcountertops



888.287.8356 info@vtindustries.com vtindustries.com All measurements in inches. Drawings not to scale.



© 2024 VT Industries, Inc. All rights reserved. 11117 11-2024